



Terminal product specification		6-11-2012		Petroleum B	
Specification		Unit	Minimum	Maximum	Test Method
Density at 15 °C		kg/m <sup>3</sup>	780,0	820,0	EN ISO 3675
Colour			Yellow		ASTM D 1500
Copper strip corrosion (3 hrs. at 50 °C)		Rating	Class 1		EN ISO 2160
Distillation					
% (v/v) recovered at 210 °C		% v/v		90	EN ISO 3405
% (v/v) recovered at 250 °C		% v/v	65		EN ISO 3405
% (v/v) recovered at 280 °C		% v/v	95		EN ISO 3405
Distillation residue		% v/v		1,5	EN ISO 3405
Flash point		°C	37		EN ISO 22719
Sulfur content		mg/kg		100	EN ISO 20846
Smoke point		mm	19		ASTM D1322